according to Regulation (EC) No. 1907/2006 (REACH)

OK fuel cell

Version number: GHS 3.1A Replaces version of: 2018-11-19 (GHS 2) revision: 2022-11-15

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier 1.1 Trade name Registration number (REACH) Other means of identification article number UFI

OK fuel cell not relevant (mixture)

TJEP #100862 KK3T-T4TX-H10W-4GDG

Relevant identified uses of the substance or mixture and uses advised against 1.2 Relevant identified uses professional use

Uses advised against

industrial use do not use for products which come into contact with foodstuffs do not use for private purposes (household)

1.3 Details of the supplier of the safety data sheet

OK Befestigung GmbH & Co. KG Liesentorweg 19 a 47802 Krefeld Germany

Telephone: + 49 (0) 2151 / 95 36 39 Telefax: + 49 (0) 2151 / 95 36 49 e-mail: vertrieb@okbefestigung.de Website: www.okbefestigung.de

1.4 **Emergency telephone number** Emergency information service

Malta Competition and Consumer Affairs Authority (MCCAA) - +356 2395 2000

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 (CLP)

| Section | Hazard class | Cat- egory | Hazard class and category | Hazard state- ment |
|---------|--------------------|---------------|---------------------------|--------------------------|
| 2.2 | flammable gas | Cat. 1 | (Flam. Gas 1) | H220 |
| 2.5 | gas under pressure | Cat. L | (Press. Gas L) | H280 |

Remarks

For full text of H-phrases: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects Contains gas under pressure; may explode if heated.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP) Signal word Danger **Pictograms** GHS02, GHS04

Hazard statements

| H220 | Extremely flammable gas. |
|------|---|
| H280 | Contains gas under pressure; may explode if heated. |

according to Regulation (EC) No. 1907/2006 (REACH)

OK fuel cell

| Version number: GHS 3.1/ Replaces version of: 2018 | |
|---|---|
| Precautiona | ry statements |
| Precautiona | ry statements - prevention |
| P210 | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No |

Precautionary statements - response

smoking.

| P377 | Leaking gas fire: Do not extinguish, unless leak can be stopped safely. |
|------|---|
| P381 | In case of leakage, eliminate all ignition sources. |

Precautionary statements - storage

P410+P403 Protect from sunlight. Store in a well-ventilated place.

2.3 Other hazards

There is no additional information.

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 **Substances**

not relevant (mixture)

3.2 **Mixtures**

Description of the mixture

| Name of sub- stance | CAS No | EC No | Wt% | Classification acc. to GHS | Pictograms |
|------------------------|----------|-----------|--------|--|------------|
| But-1-ene | 106-98-9 | 203-449-2 | 25-<50 | Flam. Gas 1A / H220 Press. Gas L / H280 | |
| Propene | 115-07-1 | 204-062-1 | 25-<50 | Flam. Gas 1A / H220 Press. Gas C / H280 | |
| propane | 74-98-6 | 200-827-9 | 10-<25 | Flam. Gas 1A / H220 Press. Gas L / H280 | |

For full text of abbreviations: see SECTION 16.

SECTION 4: First aid measures

4.1 **Description of first aid measures**

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Thaw frosted parts with lukewarm water. Do not rub affected area.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

according to Regulation (EC) No. 1907/2006 (REACH)

OK fuel cell

Version number: GHS 3.1A Replaces version of: 2018-11-19 (GHS 2)

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

- **4.2 Most important symptoms and effects, both acute and delayed** Symptoms and effects are not known to date.
- **4.3** Indication of any immediate medical attention and special treatment needed none

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media water spray, BC-powder Unsuitable extinguishing media water jet

5.2 Special hazards arising from the substance or mixture

Contact with the product can cause burns and/or frostbite. Contains gas under pressure; may explode if heated.

Hazardous combustion products

carbon monoxide (CO), carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up Advice on how to contain a spill

Covering of drains.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

according to Regulation (EC) No. 1907/2006 (REACH)

OK fuel cell

Version number: GHS 3.1A Replaces version of: 2018-11-19 (GHS 2)

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities Managing of associated risks

• Flammability hazards

Keep away from sources of ignition - No smoking. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Protect from sunlight.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice

Packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters National limit values Occupational exposure limit values (Workplace Exposure Limits)

No information available.

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Personal protective equipment shall be used when the risks cannot be avoided or sufficiently limited by technical means of collective protection or by measures, methods or procedures of work organization.

Eye/face protection

Wear eye/face protection.

Skin protection

hand protection

Wear suitable gloves. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

[In case of inadequate ventilation] wear respiratory protection.

according to Regulation (EC) No. 1907/2006 (REACH)

OK fuel cell

Version number: GHS 3.1A Replaces version of: 2018-11-19 (GHS 2)

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

| 9.1 | Information on basic physical and chemical prop | erties |
|-----|---|--|
| | Appearance | |
| | Physical state | gaseous (liquefied) |
| | Colour | various |
| | Odour | characteristic |
| | Other physical and chemical parameters | |
| | pH (value) | not determined |
| | Melting point/freezing point | -185 °C |
| | Initial boiling point and boiling range | -161.5 °C at 1,013 hPa |
| | Flash point | not determined |
| | Evaporation rate | not determined |
| | Flammability (solid, gas) | Flammable gas in accordance with GHS criteria |
| | Explosive limits | |
| | lower explosion limit (LEL) | 1.6 vol% |
| | upper explosion limit (UEL) | 15 vol% |
| | Vapour pressure | 0.076 Pa at 20 °C |
| | Density | not determined |
| | Vapour density | Not determined |
| | Relative density | Information on this property is not available. |
| | Solubility(ies) | not determined |
| | Partition coefficient | |
| | n-octanol/water (log KOW) | This information is not available. |
| | Auto-ignition temperature | $287~^\circ\mathrm{C}$ (auto-ignition temperature (liquids and gases)) |
| | Viscosity | not relevant (gaseous) |
| | Explosive properties | none |
| | Oxidising properties | |
| 9.2 | Other information | |
| • | Solvent content | 1.56 % |
| | Solid content | 0 % |
| | | |

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains reactive substance(s): gas under pressure, risk of ignition

if heated

danger of explosion - (gas under pressure) - danger of bursting container

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

according to Regulation (EC) No. 1907/2006 (REACH)

OK fuel cell

Version number: GHS 3.1A Replaces version of: 2018-11-19 (GHS 2) revision: 2022-11-15

Physical stresses which might result in a hazardous situation and have to be avoided strong shocks

10.5 Incompatible materials

oxidisers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Shall not be classified as acutely toxic.

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Summary of evaluation of the CMR properties

Shall not be classified as germ cell mutagenic, carcinogenic nor as a reproductive toxicant.

Specific target organ toxicity (STOT)

Shall not be classified as a specific target organ toxicant.

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute)

Aquatic toxicity (acute) of components of the mixture

| Name of substance | CAS No | Endpoint | Value | Species | Exposure time |
|-------------------|----------|----------|------------------------------------|---------|------------------|
| But-1-ene | 106-98-9 | LC50 | 19 ^{mg} / _l | fish | 96 h |
| But-1-ene | 106-98-9 | EC50 | 6.5 ^{mg} / _l | algae | 96 h |
| Propene | 115-07-1 | LC50 | 51.7 ^{mg} / _l | fish | 96 h |
| Propene | 115-07-1 | EC50 | 12.1 ^{mg} / _l | algae | 96 h |
| propane | 74-98-6 | LC50 | 27.98 ^{mg} / _l | fish | 96 h |
| propane | 74-98-6 | EC50 | 7.71 ^{mg} / _l | algae | 96 h |

12.2 Persistence and degradability

Data are not available.

according to Regulation (EC) No. 1907/2006 (REACH)

OK fuel cell

Version number: GHS 3.1A Replaces version of: 2018-11-19 (GHS 2)

revision: 2022-11-15

12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components of the mixture

| Name of substance | CAS No | BCF | Log KOW | BOD5/COD |
|-------------------|----------|-----|---------------------------|----------|
| But-1-ene | 106-98-9 | | 2.4 | |
| Propene 115-07-1 | | | 1.77 (pH value: 7, 20 °C) | |
| propane 74-98-6 | | | 1.09 (pH value: 7, 20 °C) | |

12.4 Mobility in soil

Data are not available.

- **12.5 Results of PBT and vPvB assessment** Data are not available.
- 12.6 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets. Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

| SEC | TION 14: Transport information | |
|------|---|---|
| 14.1 | UN number | 2037 |
| 14.2 | UN proper shipping name | RECEPTACLES, SMALL, CONTAINING GAS |
| 14.3 | Transport hazard class(es) Class Subsidiary risk(s) | 2 (gases) 2.1 (flammability) |
| 14.4 | Packing group | not assigned to a packing group |
| 14.5 | Environmental hazards | NONE (non-environmentally hazardous acc. to the dangerous goods regulations) |
| 440 | On a statement to see the second | |

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

OK fuel cell

| number: GHS 3.1A s version of: 2018-11-19 (GHS 2) | revision: 2022-1 |
|--|---|
| • Transport of dangerous goods by ro | oad, rail and inland waterway (ADR/RID/ADN) |
| UN number | 2037 |
| Proper shipping name | RECEPTACLES, SMALL, CONTAINING GAS |
| Class | 2 |
| Classification code | 5F |
| Danger label(s) | 2.1 |
| | |
| | |
| 2 | |
| Special provisions (SP) | 191, 303, 344 |
| Excepted quantities (EQ) | E0 |
| Limited quantities (LQ) | 1 L |
| Transport category (TC) | 2 |
| Tunnel restriction code (TRC) | D |
| International Maritime Dangerous G | oods Code (IMDG) |
| UN number | 2037 |
| Proper shipping name | RECEPTACLES, SMALL, CONTAINING GAS |
| Class | 2.1 |
| Danger label(s) | 2.1 |
| | |
| | |
| | |
| | |
| 2 | |
| Special provisions (SP) | 191, 277, 303, 344 |
| Excepted quantities (EQ) | E0 |
| Limited quantities (LQ) | 1 L |
| EmS | F-D, S-U |
| Stowage category | B |
| International Civil Aviation Organiza | |
| UN number | 2037 |
| Proper shipping name | Receptacles, small, containing gas |
| Class | 2.1 |
| Danger label(s) | 2.1 |
| | L., |
| | |
| | |
| | |
| V | |
| Special provisions (SP) | A167 |
| Excepted quantities (EQ) | EO |
| Limited quantities (LQ) | 1 kg |

according to Regulation (EC) No. 1907/2006 (REACH)

OK fuel cell

Version number: GHS 3.1A Replaces version of: 2018-11-19 (GHS 2)

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

16.1 Indication of changes (revised safety data sheet)

| Section | Former entry (text/value) | Actual entry (text/value) | Safety- relev- ant |
|---------|--|---|--------------------------|
| 2.3 | | Results of PBT and vPvB assessment: This mixture does not contain any substances that are assessed to be a PBT or a vPvB. | yes |
| 5.2 | Hazardous combustion products: nitrogen oxides (NOx), carbon monoxide (CO), car- bon dioxide (CO2) | Hazardous combustion products: carbon monoxide (CO), carbon dioxide (CO2) | yes |
| 11.1 | Acute toxicity of components of the mixture | | yes |
| 11.1 | | Acute toxicity of components of the mixture: change in the listing (table) | yes |

Abbreviations and acronyms

| Abbr. | Descriptions of used abbreviations |
|-----------|---|
| ADN | Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways) |
| ADR | Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the In- ternational Carriage of Dangerous Goods by Road) |
| BCF | Bioconcentration factor |
| BOD | Biochemical Oxygen Demand |
| CAS | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances) |
| CLP | Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures |
| CMR | Carcinogenic, Mutagenic or toxic for Reproduction |
| COD | Chemical oxygen demand |
| DGR | Dangerous Goods Regulations (see IATA/DGR) |
| EC50 | Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval |
| EC No | The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union) |
| EINECS | European Inventory of Existing Commercial Chemical Substances |
| ELINCS | European List of Notified Chemical Substances |
| EmS | Emergency Schedule |
| Flam. Gas | Flammable gas |
| GHS | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations |
| ΙΑΤΑ | International Air Transport Association |
| IATA/DGR | Dangerous Goods Regulations (DGR) for the air transport (IATA) |
| ICAO | International Civil Aviation Organization |
| IMDG | International Maritime Dangerous Goods Code |

according to Regulation (EC) No. 1907/2006 (REACH)

OK fuel cell

Version number: GHS 3.1A Replaces version of: 2018-11-19 (GHS 2)

revision: 2022-11-15

| Abbr. | Descriptions of used abbreviations |
|------------|--|
| LC50 | Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethal- ity during a specified time interval |
| log KOW | n-Octanol/water |
| MARPOL | International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant") |
| NLP | No-Longer Polymer |
| PBT | Persistent, Bioaccumulative and Toxic |
| Press. Gas | Gas under pressure |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals |
| RID | Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concern- ing the International carriage of Dangerous goods by Rail) |
| UFI | Unique formula identifier |
| vPvB | Very Persistent and very Bioaccumulative |

Key literature references and sources for data

- Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU Regulation (EC) No. 1272/2008 (CLP, EU GHS)

Classification procedure

Physical and chemical properties: The classification is based on tested mixture. Health hazards/environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

| Code | Text |
|------|---|
| H220 | Extremely flammable gas. |
| H280 | Contains gas under pressure; may explode if heated. |

Specific end use(s)

Professional useindustrial use

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.